Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1789	(345/76-78).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/04 09:36
S2	0	("1anduneven\$5").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/04 09:37
S3	105	S1 and uneven	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 14:51
S4	29	S3 and (uneven\$5 with bright\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 09:44
S5	18	S4 and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 09:55
S6	5	(("6462722") or ("6791129") or ("6995520") or ("20040227707") or ("20020047120")).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/04 10:02
S7	1789	(345/76-78).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/05 14:49
S8	105	S7 and uneven	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 14:49
S9	5	S8 and ((first adj current) same (second adj current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 14:52
S10	10279	"1" and (gain adj factor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:17
S11	1794	(345/76-78).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/09 09:24

S12	13	S11 and (gain adj factor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:25
S13	32	S11 and ((transistor near4 series) same (transistor near4 parallel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:26
S14	7	("6545651"   "6586888").PN. OR ("6756738").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/09 10:10
S15	488	S11 and ((two or "2") with ((signal or scan\$4) adj line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 10:18
S16	. 0	S15 and (((scan\$4 or signal) adj line) with (switch or transistor) with "on")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 10:15
S17	0	S15 and (uneven\$5 with bright%5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 10:16
S18	157	S15 and (uneven\$5 or non-uniform\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 10:17
S19	42	S15 and ((uneven\$5 or non-uniform\$3) with bright\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 10:18
S20	139	S11 and (two near3 ((signal or scan\$4) adj line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 10:18
S21	13	S20 and ((uneven\$5 or non-uniform\$3) with bright\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 10:18

S22	6	("20020047817"   "20030058687"   "20030142046"   "6501466"   "6611107").PN. OR ("6798148"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/09 11:54
S23	0	("CN1322015A").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/09 11:54
S24	0	("CH1322015A").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/09 11:55
S25	0	("CN1322015A").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/09 11:55
S26	27	("5952789").PN. OR ("6501466"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/09 12:39
S27	242	S11 and aperture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 12:39
S28	158	S11 and (aperture adj ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 12:39
S29	2	S28 and (gain adj factor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/09 12:40
S30	7	S28 and (gain with transistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 14:01
S31	12	S28 and gain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 14:02
S32	54	S28 and parallel and (series or serial\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 14:16

			_			
S33	0	S11 and (writ\$4 with capacitor with speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 14:16
S34	1796	(345/76-78).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR ·	OFF	2006/05/15 09:00
S35	0	S34 and ((emit\$5 adj current) adj4 greater adj4 ((drive or data or input) adj current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:01
S36	0	S34 and (((emit\$5 or element or IEL) adj current) adj4 greater adj4 ((drive or data or input or Idrive or Idata) adj current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:06
S37	103	S34 and (amplif\$6 near4 current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:06
S38	26	S34 and (amplif\$6 near4 ((drive or element) near3 current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:12
S39	7	S34 and MRAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:25
S40	0	S34 and ((MRAM or "magneto-resistive") with (current with amplif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:27
S41	0	S34 and ((MRAM or "magneto-resistive") same (current with amplif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:27
S42	2	S34 and ((MRAM or "magneto-resistive") and (current with amplif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:28

S43	2	S34 and ((MRAM or "magneto-resistive" or photo-detect\$4) and (current with amplif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:29
S44	2	S34 and ((drive near3 current) with (greater or less) with (data near3 current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:38
S45	5	(electroluminescent with display) and (((drive or emit\$4 or EL) near3 current) with (greater or less) with ((data or input or reference) near3 current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:41

5/15/2006 10:18:20 AM C:\Documents and Settings\sgokhale\My Documents\EAST\Workspaces\May\10-669852.wsp Page 5